



n No. 188

1929

*Agricultural Research Institute, Pusa*

---

## Design for Farm Buildings

BY

G. S. HENDERSON, N.D.A., N.D.D.

*Imperial Agriculturist, Agricultural Research Institute, Pusa*



CALCUTTA: GOVERNMENT OF INDIA  
CENTRAL PUBLICATION BRANCH  
1929

*Price, As. 6 or 8 d.*

**Government of India Publications are obtainable from the Government of  
India Central Publication Branch, 3, Government Place, West,  
Calcutta, and from the following Agents :—**

**EUROPE.**

OFFICE OF THE HIGH COMMISSIONER FOR INDIA, 42, GROSVENOR GARDENS, LONDON, S. W. 1.  
And at all Booksellers.

**INDIA AND CEYLON.**

**Provincial Book Depôts.**

**MADRAS:**—Superintendent, Government Press, Mount Road, Madras.  
**BOMBAY:**—Superintendent, Government Book Depot, Town Hall, Bombay.  
**SIND:**—Library attached to the Office of the Commissioner in Sind, Karachi.  
**BANGAL:**—Bengal Secretariat Book Depot, Writers' Buildings, Room No. 1, Ground Floor, Calcutta.  
**UNITED PROVINCES OF AGRA AND OROH:**—Superintendent of Government Press, United Provinces of  
AGRA and Oudh, Allahabad.  
**PUNJAB:**—Superintendent, Government Printing, Punjab, Lahore.  
**BERMA:**—Superintendent, Government Printing, Burma, Rangoon.  
**CENTRAL PROVINCES AND BÉRAR:**—Superintendent, Government Printing, Central Provinces, Nagpur.  
**ASSAM:**—Superintendent, Assam Secretariat Press, Shillong.  
**BIHAR AND ORISSA:**—Superintendent, Government Printing, Bihar and Orissa, P. O. Ghatwar, Patna.  
**COORG:**—Office of the Chief Commissioner of Coorg, Bangalore.  
**NORTH-WEST FRONTIER PROVINCE:**—Manager, Government Printing and Stationery, Peshawar.

Thacker Spink & Co., Calcutta and Shind.  
W. Newman & Co., Ltd., Calcutta.  
R. Cambray & Co., Calcutta.  
S. K. Lahiri & Co., Calcutta.  
The Indian School Supply Depot, 309, Bow Bazar,  
Street, Calcutta.  
Butterworth & Co. (India), Ltd., Calcutta.  
Haji M. C. Sazur Rihadur & Sons, 90-2A, Harrison  
Road, Calcutta.  
Standard Literature Company, Limited, Calcutta.  
Chakraverty, Chatterjee & Co., Ltd., 13, College  
Square, Calcutta.  
The Book Company, Calcutta.  
James Murray & Co., 12, Government Place,  
Calcutta. (For Meteorological Publications only.)  
Ray Chaudhury & Co., 68-5, Asutosh Mukherji  
Road, Calcutta.  
Scientific Publishing Co., 9, Tallolla Lane, Calcutta.  
Chatterjee & Co., 204, Cornwallis Street, Calcutta.  
B. C. Basu, Esq., Proprietor, Albert Library, Dacca.  
Mitra Brothers, Rajshahi.  
Hingulothams, Madras.  
P. R. Rama Iyer & Co., Madras.  
Rochouse and Sons, Madras.  
G. A. Jackson & Co., Publishers, George Town,  
Madras.  
Theosophical Publishing House, Adyar, Madras.  
Bright & Co., Trivandrum.  
The Booklover's Resort, Tulkad, Trivandrum, South  
India.  
L. M. Gopalakrishna Kone, Pudukottai, Madras.  
Central Book Depot, Madras.  
Vijapur & Co., Vizagapatnam.  
Thacker & Co., Ltd., Bombay.  
D. B. Taraporevala, Sons & Co., Bombay.  
Sunder Pandurang, Bombay.  
Jaan Chandra Govind & Sons, Kalbadevi Road,  
Bombay.  
N. M. Tripathi & Co., Booksellers, Princess Street,  
Kalbadevi Road, Bombay.  
New and Secondhand Bookshop, Kalbadevi Road,  
Bombay.  
Mrs. Radjabai Atmaran Sagoon, Kalbadevi Road,  
Bombay.  
A. H. Wheeler & Co., Allahabad, Calcutta and  
Bombay.  
S. Govind & Co., Standard Road, Girgaon, Bombay  
Proprietor, New Kitabkhana, Poona.  
The Manager, Oriental Book Supplying Agency, 13,  
Shukrawar, Poona City.  
Rana Krishna Bros., Opposite Vishrambag, Poona  
City.  
S. P. Bookstall, 21, Dudhwar, Poona.  
Mangalshis & Sons, Booksellers and Publishers,  
Bhinga Talao, Surat.  
The Standard Book & Stationery Co., 52-33, Arbab  
Road, Peshawar.

R. B. Unadikar & Co., The Bharat Book Depot,  
Dharwar.  
The Standard Bookstall, Karachi, Quetta, Delhi,  
Murree and Rawalpindi.  
The Karachi Book Depot, Elphinstone Street, Camp,  
Karachi.  
The English Bookstall, Karachi.  
The Standard Bookstall, Quetta.  
U. P. Mahdeta & Co., Quetta.  
J. Ray & Sons, 45, K. & L. Edwardes Road, Rawal-  
pindi, Murree and Lahore.  
The Standard Book Depot, Lahore, Nainital,  
Mussoorie, Dalhousie, Ambala (Cantonment) and  
Delhi.  
N. B. Mathur, Super, Nazir Kanun Hind Press,  
Allahabad.  
The North India Christian Tract and Book Society,  
18, Clive Road, Allahabad.  
Rani Dayal Agarwala, 181, Katra, Allahabad.  
The Indian Army Book Depot, Jullandhar.  
The Indian Army Book Depot, Jullandhar City.  
Manager, Anand Kishore Press, Lucknow.  
The Upper India Publishing House, Ltd., Literature  
Palace, Ammuddhala Park, Lucknow.  
Raj Sahib M. Gulab Singh & Sons, Mauld-Land  
Press, Lahore and Allahabad.  
Rama Krishna & Sons, Booksellers, Anarkali, Lahore.  
Puri Brothers, Booksellers and Publishers, Kotwali  
Road, Lahore.  
The Sikh School Bookshop, Lahore.  
The Standard Bookstall, Lahore.  
The Proprietor, Punjab Sanskrit Book Depot,  
Saidmulla Street, Lahore.  
The Insurance Publicity Co., Ltd., Lahore.  
The Punjab Religious Book Society, Lahore.  
Manager of the Imperial Book Depot, 63, Chaudh  
Chawki Street, Delhi.  
Fono Book Agency, New Delhi.  
Oxford Book and Stationery Company, Delhi.  
Super, American Baptist Mission Press, Rangoon.  
The Modern Publishing House, Ltd., 53, Phayre  
Street, Rangoon.  
Burma Book Club, Ltd., Rangoon.  
Manager, The "Hiravada," Nagpur.  
Bhisey Brothers, Booksellers and Stationers, Sha-  
badi, Nagpur.  
S. C. Talukdar, Proprietor, Students & Co., Cooch  
Behar.  
The Manager, Ceylon Observer, Colombo.  
The Manager, The Indian Book Shop, Benares City.  
The Srivilliputtur Co-operative Trading Union, Ltd.,  
Srivilliputtur (S. I. R.).  
Raghunath Prasad & Sons, Patna City.  
The Students' Emporium, Patna.  
K. L. Mathur & Bros., Guzi, Patna City.  
Dandekar Brothers, Indore City.  
Peshlaskaya Sahayak Sankari Ltd., Baroda.  
The Hyderabad Book Depot, Chanderghat, Hydrab-  
ad (Deccan).  
Thacker & Co., Agra City.

# Design for Farm Buildings

(Received for publication on the 13th August 1928.)

Bulletin No. 174 of this Institute deals with the Unit System of Farm Buildings. Full details are given of the type shed consisting of steel scantlings and galvanized sheets. By using this system, an economical and efficient type of construction is provided. Where complete sheds made by engineering firms are purchased, the overhead charges bring the cost up to a high figure. Under the method described, the cost is a little more than the market value of bulk steel and galvanized sheets.

Another great advantage is portability. There is very little masonry involved and the whole buildings can be dismantled and removed in the case where the farm is not required to be permanent.

The costs of repairs are nominal.

It has been suggested that designs and specifications for a complete range of farm buildings should be worked out and the following bulletin gives the layout of a typical farm. This can be modified according to circumstances and combines economy with efficiency. The following description is suitable for a farm standing for 25 cows and their followers.

The cropping mentioned below is based on the system at present carried out on the Pusa Farm and the farm standing is fully equipped for a self-contained unit providing all the food required for the cattle.

*Farm area.* The area of the Farm mentioned is a hundred acres arable, unirrigated, with 8 acres under a well for cold weather and hot weather fodder. Roads, buildings and exercise paddocks will amount to 12 acres, or total of about a 120 acres. No grazing ground has been provided and the cattle get their grazing from catch crops grown on the arable land.

*Rotation.* The rotation is as follows:—

	1st year	2nd year	3rd year
	33 acres	33 acres	34 acres
Kharif . .	Maize for fodder and silage.	Maize for cobs .	Legumes for grazing.
Rabi . . .	Oats . . .	Arhar or grams or peas.	Oats $\frac{1}{2}$ . Wheat $\frac{1}{2}$ .

Farmyard manure is applied to 1st year rotation at 10 tons per acre.  
**Livestock.** The livestock provided for are :—

Variety of cattle	Number of cattle
Stud bull . . . . .	1
Cows . . . . .	25
Young stock . . . . .	40
Work cattle . . . . .	16
<b>TOTAL</b> . . . . .	<b>82</b>

**Rotation.** The concentrated ration required per annum is as follows :—

Animals]	Quantity of ration needed Mds.
Stud bull . . . . .	20
Cows . . . . .	500
Young stock . . . . .	400
Work cattle . . . . .	200
<b>TOTAL</b> . . . . .	<b>1,120</b>

This ration consists of the grains grown on the Farm, ground up and fed as a mash. The grain produced annually from the above rotation will be :—

Grain	Yield Mds.
Oats . . . . .	700
Wheat . . . . .	300
Maize . . . . .	300
Pulses . . . . .	250
<b>TOTAL</b> . . . . .	<b>1,550</b>

If any grain is sold off the Farm, oil-cake will have to be purchased to take its place.

In addition to the grazing of catch crops, maize or in some cases *Jowar*, is sown for silage making. 3,600 maunds of silage can be made per annum. In addition, green maize chopped is provided, about 3,000 maunds annually.

**Fodder.** The grain crops will produce 2,000 maunds of “bhusa” or straw to be fed throughout the year. *Bhusa* sheds are provided for all “bhusa” and three “Katcha” rectangular silage pits are required, to hold 1,200 maunds silage each.

**Machinery.** The major items of machinery required are :—

- One tractor,
- One three-foot-drum grain threshing machine,
- One power driven silage cutter.

*Specifications of buildings.* Full details and drawings of buildings are given below and are self-explanatory. The only item that calls for comment is the milk-cowshed. The design given is an exceedingly cheap one. If a modern shed which will display the cows better is required, the expense will be considerably increased. A passage down the middle of the cowshed with double rows and feeding troughs and steel travises would look very much better, but the cost of such a building is considerably greater. The design given has been found in practice suitable for Indian cattle.

It must be noticed that the principles applied to farm building design in temperate countries must be considerably modified for tropical work. In Europe labour is very much more expensive than in India so that there it is of vital importance to provide economy of labour in handling animals and foodstuffs. For India it is essential to get as much light and air as possible in all the buildings. Animals well fed do not require to be shut up in stuffy buildings. The more open air the livestock get both in the cold weather and in the hot weather, the more healthy the animals will be.

It should be noted that the farm plan can be modified to almost any extent as there are only two type sheds and these two types only vary between themselves in the height of the columns. Godowns are converted from sheds by filling in the space between columns with single brickwork. Necessary doors are made of expanded metal with angle iron frames.

# 1. GENERAL SPECIFICATIONS OF ONE UNIT OF PORTABLE SHED. "A" & "B" TYPES.

One unit 18' 6" span and 10' 0" length consisting of 2 columns and a curved rafter.

1(a) Columns 2 (Overall—Unit "A" 9' 11" and "B" 15' 5" above ground level—Unit "A" 6' 11" and "B" 12' 3").

Rolled steel beams 9' 11" × 7" × 4" @ 16 lb. per ft. including drilling six $\frac{5}{8}$ " holes	lb.
	320

(b) Base plates 2. Sheet iron (One for each column) 12" × 12" × $\frac{1}{4}$ " @ 10.2 lb. including drilling four $\frac{5}{8}$ " holes in each plate	20
--	----

(c) Cleats for base plates 4.



No. 2 × 2 (3" × 3" × $\frac{1}{4}$ " × 5") @ 4.9 lb. rft. including 4 holes in each	8
(d) Rivets for base plates 12. 2 × 6 ( $\frac{5}{8}$ " diam. × 1 $\frac{1}{2}$ ") @ 23.7 lb. per cent.	3

(e) Head plates 4.



Sheet iron 2 × 2 × $\frac{16" + 11"}{2}$ × 5" × $\frac{1}{4}$ " @ 10.2 lb. sft. and six holes in each	20
---	----

## 2. Principal rafter (curved) 1—

(a) Angle iron curved rafter 1 (in two pieces). 22' × 3" × 3" × $\frac{3}{8}$ " @ 7.18 lb. including sixteen $\frac{5}{8}$ " holes	158
(b) Cleats 4. Angle iron 4 × 5' × 3" × $\frac{3}{8}$ " × 6" @ 9.72 lb. rft.	19
(c) Central joint cleat 1 (for pieces of principal rafter). Angle iron 1 × (10" × 2 $\frac{1}{2}$ " × 2 $\frac{1}{2}$ " × $\frac{5}{8}$ " @ 4.98 lb. rft.	4
(d) Bolts and nuts $\frac{5}{8}$ " diam. × 1 $\frac{1}{2}$ " long, 34—	
Head plates 2 (4 ÷ 2)	12
Central joint (4 ÷ 2)	6
Cleats 4 (2 ÷ 2)	16

TOTAL	34 @ 58 lb. per cent.	20
-------	-----------------------	----

3. <i>Purlins 4</i> —	lb.
Angle iron $4 \times 10'$ ( $3'' \times 3'' \times \frac{1}{4}''$ ) @ 4.0 lb. rft. including drilling two $\frac{5}{8}''$ holes in each . . . . .	196
4. <i>Roofing materials</i> —	
(a) Galvanized corrugated iron sheets—	
Span $23' 2''$ plus lapping ( $5'' + 5''$ ) $10' = 24$ ft. Length $10' \div (3 \text{ lappings of } 6'') \frac{1}{2} = 11\frac{1}{2}$ ft.	
Area of roof 276 sq. ft. @ 1.5 lb. sq. ft. including bending 13 sheets $8' \times 2' 8''$ . . . . .	414
(b) Galvanized hook bolts and nuts $5'' \times \frac{3}{8}''$ diam., $4 \times 4 = 16$ @ 25 lb. per cent. . . . .	4
(c) Galvanized slot head bolts and nuts $\frac{3}{4}'' \times \frac{1}{4}''$ , $15 \times 4 = 60$ . . . No.	60
(d) Limpet washers, galvanized, $1\frac{1}{4}''$ diam., $16 \div 60$ . . . . .	78



## 2. SPECIFICATION FOR "BHUSA" BARN.

This has higher columns than the other sheds and is constructed of *ten units* of "B" type. The height is 12 feet to eaves whereas it is only 6 ft. 6 in. in case of the buildings of "A" type. This is a very simple open shed and therefore need not be described at length. It will cost about rupees two thousand and five hundred according to the estimate given below :—


	Rs.	A.	P.
1. Earthwork excavation for foundation Foundation of columns $11 \times 2 \times 1' 9'' : 1' 6'' \times 3' = 173$ cft. @ Rs. 4 ( $\frac{1}{100}$ )		0	11 0
2. Concrete in cement mortar in foundation— Foundation of columns as above, 173 cft. @ Rs. 55 per cent.	95	2	0
3. Iron work per unit, each unit to follow detailed specifications already given. 10 units of "B" type @ lump sum Rs. 197/ each f.o.r., Howrah	1,970	0	0
3-A. An extra pair of columns and a curved rafter to above specifica- tions @ lump sum Rs. 100, f.o.r., Howrah	100	0	0
4. Railway freight on iron work from Howrah to Pusa Road per goods train lump sum	180	0	0
5. Erection charges of 10 units, lump sum	37	0	0
6. Fixing and fitting sheets on roof. Labour only. Whole shed $1 \times 102' \times 23' 2'' = 2,363$ sq. ft. @ Rs. 3-8, per cent.	82	11	0
7. Site cleaning, lump sum	2	0	0
<b>TOTAL</b>	<b>2,467</b>	<b>8</b>	<b>0</b>

(Rupees two thousand, four hundred and sixty seven and annas eight only.)


## 3. SPECIFICATION FOR WORK BULLOCK BYRE.

This consists of 4 units of "A" type building and provided with a pucca cemented floor and a central feeding trough. The most useful and durable type of floor found by trials at Pusa is that consisting of brick on edge in Portland cement over a 3" layer of lime concrete and top cement ruled pointed. The central pucca trough is constructed in layers of cement concrete and cement plastered throughout. The neck chains on either side of the trough slide on a longitudinal bar  $\frac{3}{4}$ " in diameter. These longitudinal bars are tied by cross iron bars looped at each end and built in the masonry of the trough. The shed is provided with 18" x 4" shallow drain both sides, led to the manure pit. The shed has no walls, but bamboo wattle or galvanized sheet can be fitted to any side for shelter if required.

The cost of this shed size 40' 0" x 18' 6" will be about Rs. 1,550 as follows:—

1. Earthwork excavation for foundation—	Rs. A. P.
Feeding trough $1 \times 40' \times 4' 6" \times 8"$ = 90 cft.	
Flooring $2 \times 40' 10" \times 7' \times 1\frac{1}{2}"$ = 71 „	
Steel column foundations	
$5 \times 2 \times 1' 9" \times 1' 6" \times 3'$ = 79 „	
<b>TOTAL</b> . 240 „ @ Rs. $\frac{1}{4}$ per cent.	0 15 0
2. Concrete in cement mortar in foundation—	
First course : feeding trough	
$1 \times 40' \times 4' 6" \times 6"$ . = 90 cft.	
Second course : feeding trough	
$1 \times 40' \times \frac{(3' 6" \text{ plus } 4' 6")}{2} \times 2' 9" = 440$ „	
Foundation of steel columns	
$5 \times 2 \times 1' 9" \times 1' 6" \times 3'$ . = 79 „	
<b>TOTAL</b> . 609 „	
Deduct—	
Cavity of feeding trough 	
$1 \times 37' \times (2' 72 \text{ rft.})$ . = 100 cft.	
Balance 509 cft. @ Rs. 55 per cent.	279 15 0
3. Brick on edge flooring set in Portland cement mortar over a 3" layer of concrete in lime mortar, top of edging cement ruled pointed—	
Both floorings $2 \times 40' 10" \times 7' 6" = 612$ sft. @ 55-9 per cent.	218 11 0
4. Half-inch cement plaster 2 : 1—	
On top, sides and cavity of trough	
$1 \times 40' \times 10'$ . 400 sft.	
Ends of trough,	
$2 \left( \frac{3' 6" + 4' 6"}{2} \right) \times 2'$ . 16 „	
<b>TOTAL</b> . 416 sft. @ Rs. 12 per cent.	49 15 0

	Rs.	A.	P.
5. Iron work complete—			
Cross bars in trough for tying bullocks 12 ( $5' \times \frac{1}{2}$ ) = $7\frac{1}{2}$ lb. each.			
Total 90 lb. @ Rs. 18, cwt. . . . .	14	6	0
6. Steel work on unit system, each unit measuring $18'6'' \times 10'$ length and to follow the detailed specifications given above.			
Four units of type "A" building @ lump sum of Rs. 169, f.o.r., Howrah . . . . .	676	0	0
6A. Provision for one extra pair of columns and curved angle rafter to above specifications for end bay at lump sum of Rs. 72 f.o.r., Howrah . . . . .	72	0	0
7. Railway freight from Howrah to Pusa Road, goods train, on item Nos. 6 and 6A and unloading charges at destination, lump sum . . . . .	60	0	0
8. Erection charges of 4 units including end-bay pair, lump sum . . . . .	13	0	0
9. Fixing and fitting galvanized corrugated iron sheets on roof, labour only.			
Whole shed, $1 \times 42' \times 23' 2''$ = 973 sq. ft. @ Rs. 3-8 per cent. . . . .	34	1	0
10. Saucer shaped $18'' \times 4''$ manure drain with cement concrete and			



Long sides of shed  $2 \times 40' \times 10' = 81' 8''$  rft.

End side of shed  $1 \times 21' 10'' = 21' 10''$  rft.

Up to manure pit, say  $1 \times 20' = 20'$  rft.

TOTAL . . . . .	123½ rft. @ Rs. 1, rft. . . . .	123	8	0
11. Site cleaning, etc., lump sum . . . . .		15	0	0
TOTAL . . . . .		1,557	7	0

(Rupees one thousand, five hundred and fifty seven and annas seven only.)

## 4. SPECIFICATION FOR BULL SHED.

Two units of "A" type are constructed each in a fenced enclosure measuring 40 ft.  $\times$  25 ft. each. The wire fencing is No. 1150, "Ideal wire woven" 11 strands and fixed in  $2\frac{1}{2}'' \times 2'' \times \frac{1}{4}'' \times 6'$  long angle iron posts, the corner standard being  $2\frac{1}{2}'' \times 2\frac{1}{2}'' \times \frac{1}{4}'' \times 6'$  angle irons. The shed including cost of fencing will cost about rupees seven hundred as follows:—

	Rs. A. P.
1. Earthwork excavation for foundation:—	
Steel columns 6 $\times$ 1' 9" $\times$ 1' 6" $\times$ 3'	47 cft.
Foundation of posts at corners	
6 $\times$ 2' $\times$ 2' $\times$ 1' 6"	36 „
„ intermediate	
14 $\times$ 1' 6" $\times$ 1' 6" $\times$ 1' 6"	47 „
„ stays	
12 $\times$ 1' 6" $\times$ 1' 6" $\times$ 1' 6"	40 „
TOTAL	170 „ @ Rs. 4, per cent. 0 11 0
2. Concrete in cement mortar in foundation.	
Steel columns 47 cft. @ Rs. 55, per cent.	25 14 0
3. Concrete in lime mortar in foundation.	
Fencing posts, all as above, 123 cft. @ Rs. 29, per cent.	35 11 0
4. Wrought iron work for standards complete.	
Angle corner posts ( $2\frac{1}{2}'' \times 2\frac{1}{2}'' \times \frac{1}{4}'' \times 6'$ )	
6 @ 24-25 lb. each	146 lb.
„ intermediate posts ( $2'' \times 2'' \times \frac{1}{4}'' \times 6'$ )	
20 @ 19-14 lb. each	498 „
Bottom pins $\frac{1}{2}''$ diam., rod 9" long	
32 $\times$ $\frac{3}{4}'' = 24'$ @ 668 lb. rft.	16 „
TOTAL	660 „ @ Rs. 18, per cwt. 106 1 0
5. Galvanized staples 360 @ Rs. 1, per cent.	3 10 0
6. Galvanized ideal wire woven farm fencing 11 strands No. 1150, 225 rft. @ As. 3-6, per rft.	49 3 0
7. Straining and fixing wire fencing, lump sum	5 0 0
8. Two units of "A" type. (Each unit to follow the detailed specifications given) @ Rs. 169 each, f. o. r., Howrah	338 0 0
8A. Extra pair of columns and a curved rafter to above specifications for ead bay, lump sum @ Rs. 72, f. o. r., Howrah	72 0 0
9. Railway freight on iron material from Howrah to Pusa Road by goods train, lump sum	30 0 0
10. Erection of two units, complete, lump sum	7 0 0
11. Fixing and fitting galvanized corrugated iron sheets on roof—Labour only.	
Whole shed $1 \times 22' \times 23' 2'' = 510$ sft. @ Rs. 3-8, per cent.	17 14 0
12. Site cleaning	5 0 0
TOTAL	698 0 0

(Rupees six hundred and ninety six only.)

## 5. SPECIFICATION FOR MILK ROOM.

This is to be constructed of one unit "A" Type; only one end is filled in with half-brick wall. The other three sides are fitted with fly-proof netting in angle iron frame with a door facing cowshed. The floor is to be cement plastered. Cost of this milk room is rupees five hundred and fifty.

	Rs.	A.	P.
1. Earthwork excavation for foundation— Steel columns $4 \times 1' 9" \times 1' 6" \times 3 = 32$ cft. @ Rs. 4, per 1,000 .	0	2	0
2. Cement concrete in foundation— Foundation of steel columns 32 cft. @ Rs. 55, per cent. . . . .	17	10	0
3. Iron work per unit—The units to follow the detailed specifications given in preceding pages— One unit of type "A" @ Rs. 169, f.o.r., Howrah . . . . .	169	0	0
3A. Extra pair of columns and a curved rafter to above specifications for end bay @ lump sum Rs. 72, f.o.r., Howrah . . . . .	72	0	0
4. Railway freight on iron material from Howrah to Pusa Road by goods train, lump sum . . . . .	20	0	0
5. Erection charges of one unit, including end bay, frame, lump sum . . . . .	4	0	0
6. Fixing and fitting G. C. I. sheets on roof. Labour only. Whole roof $1 \times 10' \times 23' 2" = 232$ sft. @ Rs. 3-8, per cent. . . . .	8	2	0
7. 32 S. w. g., 22 mesh fly-proof netting, complete.— Sides $2 \times 16' 4" \times 8'$ . . . . . 261 sft. Gables $2 \times 16' 4" \times 4'$ mean . . . . . 131 " End $1 \times 10' \times 8'$ . . . . . 80 " <hr/> 472 " Add 10 per cent. for wastage . . . . . 48 " <hr/> TOTAL . . . . . 520 " @ 4 as. per sft. . . . .	130	0	0
	420	14	0

## 8. Iron for frame for gauge work—

	lb.
Bottom of door L. $2' \times 2' \times \frac{3}{4}" \times 11'$ . 1 @ 3-22 lb. rft. . . . .	34-4
Top of door L. $2\frac{1}{2}' \times 2\frac{1}{2}' \times \frac{1}{4}" \times 11'$ . 1 @ 4-07 lb. rft. . . . .	44-8
Vertical sides of door L. $2' \times 2' \times \frac{1}{4}" \times 6'$ . 2 @ 3-22 lb. rft. . . . .	38-6
Long sides horizontal L. $2' \times 2' \times \frac{1}{4}" \times 17'$ . 2 @ 3-22 lb. rft. . . . .	109-5
Long sides vertical L. $2' \times 2' \times \frac{1}{4}" \times 8'$ . 2 @ 3-22 lb. rft. . . . .	51-5
Door frame L. $1\frac{1}{2}' \times 1\frac{1}{2}' \times \frac{1}{4}" \times 34'$ . 1 @ 2-33 lb. rft. . . . .	79-3
	358-1
5 per cent. extra for bolting work. . . . .	18-4
	376-5
TOTAL . . . . .	376-5
3-36 cwt. @ 18 per cwt. . . . .	60-8 0

	Rs. A. P.
9. 3" beaten concrete over a brick flat top cement $\frac{1}{2}$ " plastered floor.	
Whole floor $1 \times 11' \times 18' 6'' = 204$ sft. @ Rs. 23, per cent.	46 15 0
10. Site cleaning, lump sum	2 0 0
TOTAL	530 5 0

(Rupees five hundred and thirty and annas five only).

# 6. SPECIFICATION FOR FOOD PREPARING GODOWN, GRAIN GODOWN AND IMPLEMENT SHED.

This is an open shed, consists of six units of "A" type. The central two units of godown are provided with a half brick wall around and right up to eaves. An expanded metal in angle iron frame double 10' x 5' door is provided between the full space of two columns in the northern side. (See plan). Brick on edge over a brick flat, top cement pointed floor is provided, only in the central two units of godown, unless otherwise necessity arises for the subsidiary units. Approximate cost of this shed would be Rs. 1,650 (Rupees one thousand, six hundred and fifty) as shown below :-

1. Earthwork excavation for foundation		Rs. A. P.
Steel columns $14 \times 1'9" \times 1'6" \times 3' = 110$ cft. @ Rs. 4, per 1,000		0 7 0
2. Concrete in cement mortar in foundation—		
Foundation of steel columns as above. 110 cft. @ Rs. 55, per cent.		60 8 0
3. Brick on edge set in lime mortar over a brick flat in lime mortar top of edging cement ruled pointed floor—		
Central 2 units $1 \times 20'4" \times 18'6" = 376$ sft. @ Rs. 28, per cent.		105 4 0
4. First class brick work in lime mortar superstructure—		
Front long wall $1 \times 10'5" \times 8' = 33$ cft.		
Rear long wall $1 \times 20'5" \times 8' = 67$ "		
Front wall above door $1 \times 10' \times 5'$		
" 2' " " " " "	8	"
End walls $2 \times 16'4" \times 5' \times 8'$	109	"
Gables $2 \times 16'4" \times 5' \times 2'$ mean	27	"
<b>TOTAL</b>	<b>244 cft.</b>	<b>@ Rs. 35-9, per cent. 86 12 0</b>
5. Cement ruled pointing—		
Front long wall $2 \times 10' \times 8'$	160	sft.
Front above door $2 \times 10' \times 2'$	40	"
Rear long wall $2 \times 20' \times 8'$	320	"
End walls $2 \times 2 \times 16'4" \times 8'$	523	"
Gables $2 \times 2 \times 16'4" \times 2'$ mean	40	"
<b>TOTAL</b>	<b>1,174 "</b>	<b>52 13 0</b>
6. Angle iron for door fitted and fixed, complete—		
Top angle iron $3" \times 3" \times \frac{1}{4}"$		
$1 \times 10' @ 4.9$ lb.	49	lb.
Bottom angle iron $3" \times 2" \times \frac{1}{4}"$		
$1 \times 10' @ 4$ lb.	40	"
Door frame angle $1\frac{1}{2}" \times 1\frac{1}{2}" \times \frac{1}{4}"$		
$(2 \times 2) 22' = 88' @ 2.33$ lb.	205	"
M. S. Hoops, 12 b. w. g. 1" wide,		
$4 \times 22' = 88' @ .337$ lb.	30	"
Bolts and nuts @ 5 per cent.	16	"
<b>TOTAL</b>	<b>340 "</b>	<b>@ Rs. 18, per cwt. 54 10 0</b>

	Rs.	A.	P.
7. Expanded metal work, complete—			
Double door $1 \times 9' 3" \times 6'$ . . . . .	56	sft.	
Extra for wastage 10 per cent. . . . .	6	"	
	62	"	@ 8 as. per sft. . . . .
	31	0	0
8. Iron work per unit of $18' 6" \times 10'$ length. Each unit to follow detailed specification given above—			
Six units "A" Type @ Rs. 169, f. o. r., Howrah . . . . .	1,014	0	0
8A. Add for an extra pair of columns and a curved angle rafter to above specifications @ lump sum, Rs. 72 . . . . .	72	0	0
9. Railway freight on iron material from Howrah to Pusa Road by goods train, lump sum, Rs. 100 . . . . .	100	0	0
10. Fixing and erection charges of units, lump sum . . . . .	20	0	0
11. Fixing and fitting iron sheets on roof. Labour only—			
Whole shed. $1 \times 62' \times 23' 2" = 1,436$ sft. @ Rs. 3-8. per cent. . . . .	50	0	0
12. Site cleaning, lump sum, Rs. 5 . . . . .	5	0	0
TOTAL . . . . .	1,650	10	0


(Rupees one thousand, six hundred and fifty and annas ten only.)



## 7. SPECIFICATION FOR CALF BOXES.

Two units of "A" type building. It has a half-brick wall right up to eaves in three sides leaving the fourth facing Milk Shed open. The cost will be rupees seven hundred and twenty five. The details are given below :—

	Rs.	A.	P.
1. Earthwork excavation for foundation— Steel columns $6 \times 1'9" \times 1'6" \times 3' = 47$ cft. @ Rs. 4. per 1,000.	0	3	0
2. Concrete in cement mortar in foundation— Foundation of steel columns 47 cft. @ Rs. 5.5, per cent.	25	14	0
3. Brick on edge on a brick flat, both in lime mortar top of edging cement ruled pointed,— Flooring, $1 \times 20'10" \times 18'$ . . . = 375 sft. @ Rs. 25, per cent.	93	12	0
4. First class brick work in lime mortar in superstructure— Long walls, rear $1 \times 20'4" \times 5' \times 8' = 67$ cft. End walls, $2 \times 16'4" \times 5' \times 8' = 109$ „ Gables $2 \times 16'4" \times 5' \times 2'6"$ mean 34 „			
TOTAL . . . 210 „ @ Rs. 35-9, per cent.	74	11	0
5. Cement ruled pointing— Long walls, both sides, rear $1 \times 2 \times 20'4" \times 8' = 320$ sft. End walls, both sides, rear $2 \times 2 \times 16'4" \times 8' = 523$ „ Gables, both sides, rear $2 \times 2 \times 16'4" \times 2'$ mean = 131 „			
TOTAL . . . 974 „ @ Rs. 4-8, per cent.	43	13	0
6. Two units of "A" type @ Rs. 109 each, f. o. r., Howrah (Iron work of each unit as per general specification given)	338	0	0
6A. Add for an extra pair of columns and a curved rafter for end bay at a lump sum of Rs. 72, f. o. r., Howrah	72	0	0
7. Railway freight on iron material from Howrah to Pusa Road by goods train, lump sum, Rs. 34	34	0	0
8. Erection of 2 units, lump sum, Rs. 7	7	0	0
9. Fixing and fitting of iron sheets on roof. Labour only— Whole roof, $1 \times 22' \times 23'2"$ = 510 sft. @ Rs. 3-8, per cent.	17	14	0
10. Saucer shaped drain $18" \times 4"$ in cement concrete and plastered throughout—			



11. Site cleaning, lump sum, Rs. 5	5	0	0
TOTAL	724	3	0

(Rupees Seven hundred and twenty four and annas three only.)

## 3. SPECIFICATION FOR MILK COW BYRE.

This is similar to Bullock Byre in every respect, the only addition being the side passages and 5 ft. high walls beside them. The walls are of first class bricks in lime mortar and cement ruled pointed both sides. Top of these walls should be semi-circular only as other types of coping are liable to constant damage. The passages are provided with the same type of floor as that of the cattle standings. The complete shed including drain will cost nearly rupees two thousand as per details given below :-

## 1. Earthwork excavation for foundation :-

Rs. A. P.


Feeding trough $1 \times 40' \times 4' 6'' \times 6''$	= 90 cft.
Flooring $2 \times 40' 10'' \times 7' \times 10\frac{1}{2}''$	= 71 „
Steel columns $5 \times 2 \times 1' 9'' \times 1' 3'' \times 3'$	= 79 „
Long walls $2 \times 40' 10'' \times 1' 3'' \times 1' 6''$	= 153 „

TOTAL . 393 „ @ Rs. 4. per 1,000 1 9 0

## 2. Concrete in cement in foundation :-

First course feeding trough $1 \times 40' \times 4' 6'' \times 6''$	= 90 cft.
Second course feeding trough $1 \times 40' \times \frac{(3' 6'' + 4' 6'')}{2} \times 2' 9''$	= 440 „
Foundation of steel columns $5 \times 2 \times 1' 9'' \times 1' 6'' \times 3'$	= 79 „

TOTAL . 609 „

Drainage cavity of trough 

$1 \times 37' \times 2' 7\frac{1}{2}''$  sft. 100 cft.

BALANCE . 509 „ @ Rs. 55. per cent. 279-15-0

## 3. Brick on edge flooring set in Portland cement mortar over a 3 inch layer of concrete in lime mortar, top of edging cement ruled pointed floor—

Floorings of cattle standings $2 \times 40' 10'' \times 7' 6''$	= 612 sft.
Flooring at ends of troughs $2 \times 4' \times 5'$	= 3 „
Floorings for passages, $2 \times 40' 10'' \times 6'$	= 490 „

TOTAL . 1,105 „ @ Rs. 35-9. per cent. 392 15 0


## 4. Half-inch cement plaster 2: 1—

On top, sides and cavity of trough $1 \times 40' \times 10'$	= 400 sft.
Ends of trough $2 \times \frac{(3' 6'' + 4' 6'')}{2} \times 2 = 16$	= 16 „

TOTAL . 416 „ @ Rs. 12. per cent. 49 15 0

5. Wrought iron work, complete—	Rs. A. P.
Cross bars in trough for tying cattle $12 \times (5' \times \frac{3}{4}" \text{ diam.} \times 7\frac{1}{2} \text{ lb.})$ . . . . . = 90 lb. @ Rs. 18 per cwt. .	14 6 0
6. First class brick work in lime mortar superstructure.	
Side walls $2 \times 40' 10" \times 1' 3" \times 6' 6" = 664 \text{ cft. @ Rs. 35 9. per cent.}$ . . . . .	236 2 0
7. Cement ruled pointing—	
Side walls $2 \times 2 \times 40' 10" \times 5' = 817 \text{ sq. ft.}$	
Top walls $2 \times 40' 10" \times 1' 3" = 102 \text{ „}$	
End of walls $4 \times 1' 3" \times 5' = 25 \text{ „}$	
TOTAL . . . . . 944 „ @ Rs. 4-8 per 100 .	42 8 0
8. Iron work per unit of $18' 6" \times 10'$ length, each unit to follow detailed specifications given. Four units of type "A" @ Rs. 169 each, f. o. r., Howrah . . . . .	676 0 0
8A. Provision for an extra pair of columns and a curved rafter to above specifications for end bay @ Rs. 72 each, f. o. r., Howrah .	72 0 0
9. Railway freight on iron work from Howrah to Pusa Road by goods train . . . . .	60 0 0
10. Erection charges of 4 units and extra pair, lump sum . . . . .	13 0 0
11. Fixing and fitting G, C. I. sheets on roof. Labour only.	
Whole shed $1 \times 42' \times 23' 2" = 973 \text{ sq. ft. @ Rs. 3-8, per cent.}$ .	34 1 0
12. Saucer shaped $18" \times 4"$ manure drain with cement concrete and	

cement plaster, cross section—



Long sides of shed  $2 \times 40' 10" = 81' 8"$  rit.  
 End of shed  $1 \times 21' 10" = 21' 10"$  „  
 Up to manure pit, say  $1 \times 20' = 20'$  „

TOTAL . . . . . 123' 6" „ @ Rs. 1 a foot .	123 8 0
13 Site cleaning, lump sum. Rs. 10 . . . . .	10 0 0
GRAND TOTAL . . . . .	2,005 15 0

(Rupees two thousand and five and annas fifteen only.)

## 9. SPECIFICATION FOR WELL AND WATERING TROUGH.

These are constructed in lime masonry at a convenient place between all the cattle sheds. The cost of construction including cost of semi rotary pump which is to be fixed into the well for pumping out water will be about rupees seven hundred as enumerated below :—

1. Earthwork excavation— Rs. A. P.

Well excavation  $1 \times 15' 6'' \times \frac{\pi}{4} \times 24 = 4,530$  cft. @ Rs. 7-8 per 1,000 34 9 0

2. *Jamun* wood curb, complete  $1 \times 8\frac{1}{4}' \times \pi \times 1\frac{1}{4}' \times \frac{1}{8}' = 20.25$  cft. @ Rs. 2-12 per cft. 55 11 0

3. First class brick work in lime mortar well masonry including out bricks  $1 \times 8\frac{1}{4}' \times \pi \times 1\frac{1}{4}' \times 32' = 1,037$  @ Rs. 39-5 per cent. 407 11 0

4. Sinking well, complete 8 rft. @ Rs. 3, per rft. 24 0 0

5. Earth filling and dressing including cement plaster on top of well 20 0 0

6. Earthwork excavation for foundation—

Watering trough  $1 \times 20' \times 3' 8'' \times 6'' = 37$  cft. @ Rs. 4, per 1,000 0 2 0

7. First class brick work in lime mortar in foundation—

First course  $1 \times 20' \times 3' 8'' \times 9'' = 55$  cft. @ Rs. 34-5, per cent. 18 14 0

8. First class brick work in cement mortar in foundation—

Surface  $1 \times 20' \times 3' 8'' \times 3'' = 18$  cft.

Long walls,  $2 \times 20' \times 10'' \times 1' 6'' = 50$  „

End walls  $2 \times 2' \times 10'' \times 1' 6'' = 5$  „

TOTAL . 73 „ @ Rs. 50-13, per cent. 41 8 0

9. Cement ruled pointing—

Exterior sides  $2 \times 20' \times 2' = 80$  „

Ends  $2 \times 3' 8'' \times 2' = 15$  „

Top and cavity  $1 \times 20' 3'' \times 8'' = 73$  „

Cavity sides  $1 \times 42' 8'' \times 1' 6'' = 64$  „

282 „ @ Rs. 4-8, per cent. 10 7 0

10. Cost of 2' diameter semi-rotary pump including railway freight . 50 0 0

11. Cost of pipes, etc. and labour for fitting . 15 0 0

12. Site cleaning, lump sum . 2 11 0

TOTAL . 680 0 0

(Rupees six hundred and eighty only.)

## 10. SPECIFICATION FOR YOUNG AND DRY STOCK BYRE.

This will be of 4 units of "A" type building, open each side. Bamboo wattle or some substantial weather board can however be provided in any side to protect the animal from monsoon where so desired. Feeding trough should be provided transversely as shown in the drawing. This shed with a space of 40 ft.  $\times$  18 ft. 6 in. would cost something near Rs. 1,300 as per detail given below:—

Rs. A. P.

## 1. Earthwork excavation for foundation—

Steel columns	
(5 $\times$ 2) 1' 9" $\times$ 1' 6" $\times$ 3'	= 79 cft.
Feeding trough sides	
2 $\times$ 17' 6" $\times$ 2' 8" $\times$ 6"	= 47 "
Feeding trough central	
1 $\times$ 17' 6" $\times$ 5' 1" $\times$ 6"	= 44 "
	<hr/>
170 "	@ Rs. 4, per 1,000    0 11 0

## 2. Concrete in cement mortar in foundation—

Steel columns as above	= 79 cft.
1st course, feeding trough, side	= 47 "
1st course, double feeding, central	= 44 "
2nd course, feeding trough, side	
2 $\times$ 17' 6" $\times$ $\frac{(24' + 32'')}{2}$ $\times$ 1' 9"	= 143 "
2nd course, double, central,	
single 1' $\times$ 17' 6" $\times$ $\frac{(4' 4'' + 5')}{2}$ $\times$ 1' 9"	= 143 "
Central partition walls.	
1 $\times$ 17' 6" $\times$ 5" $\times$ 3'	= 22 "
	<hr/>
TOTAL	478 "

Deduct cavity of all troughs  $\left( \frac{22' 4''}{9'} \right)$ 4  $\times$  15' 9"  $\times$  1' 05" = 66 cft.

BALANCE . 412 " @ Rs. 55, percent. 226 10 0

## 3. Half inch, cement plaster 3: 1—

Exterior sides of all troughs,	
long walls 4 $\times$ 17' 6" $\times$ 1' $\times$ 10".	= 192 cft.
Top of all troughs, long wall	
6 $\times$ 17' 6" $\times$ 5"	= 44 "
Top of all troughs, ends	
4 $\times$ 1' 10" $\times$ 5"	= 3 "
Top of all troughs, central	
2 $\times$ 4' 2" $\times$ 5'	= 4 "

Rs. A. P.

Ends of troughs (side)		
$4 \frac{(32' + 24')}{2} 1' 9''$	= 16 sft.	
Ends of troughs, central		
$2 \frac{(5' + 4' 4'')}{2} 1' 9''$	= 16 „	
Cavity of all troughs		
$4 \times 16' 4'' \times 2' 10''$	= 185 „	
Partition wall, sides only		
$2 \times 17' 6'' \times 3'$	= 105 „	
Partition wall, top and ends		
$(17\frac{1}{2}' + 6') \text{ sft.}$	= 24 „	
<b>TOTAL</b>	<b>589 „ @ Rs. 10, per cent.</b>	<b>58 14 0</b>
4. Iron work per unit of $18' 6'' \times 10'$ , each unit to follow the detailed specification given above for one unit—		
Four units of “A” type @ Rs. 189 each unit, f. o. r., Howrah		676 0 0
4.1. One extra pair of columns and a curved rafter to above specifications for end bay @ Rs. 72, lump sum, f. o. r., Howrah		72 0 0
5. Railway freight on iron from Howrah to Pusa Road		60 0 0
6. Erection charges of 4 units, including end bay columns		13 0 0
7. Fixing and fitting G. C. I. on roof. Labour only.		
Whole shed $1 \times 42' \times 23' 2'' = 973 \text{ sft.}$ @ Rs. 3.8, per cent.		34 1 0
8. Site cleaning, etc., lump sum		5 0 0
<b>TOTAL</b>	<b>1,146 4 0</b>	

(Rupees one thousand, one hundred and forty six and annas four.)




# DESIGN

FOR

## FARM BUILDINGS ON UNIT SYSTEM

Scale 48"=1"

BULL SHED




Level  
Sectional Elevation

Elevation

DRY & YOUNG STOCK  
SHED

feeding Trough  
7" x 4" RSBCd



BHUSA BARN




IMPLEMENT SHED

GRAIN GODOWN

CHAFF ROOM

BULLOCK BYRE

KUTCHA MANURE PIT  
(20' x 20' x 6')







# PUBLICATIONS OF THE IMPERIAL DEPARTMENT OF AGRICULTURE IN INDIA

TO BE HAD FROM

MANAGER, GOVERNMENT OF INDIA CENTRAL PUBLICATION BRANCH, IMPERIAL  
SECRETARIAT BUILDING, 3, GOVERNMENT PLACE, WEST, CALCUTTA ;

THE OFFICE OF THE AGRICULTURAL ADVISER TO THE GOVERNMENT OF  
INDIA, PUSA, BIHAR ;

AND

ALL AGENTS FOR SALE OF GOVERNMENT PUBLICATIONS.

A complete list of the publications of the Imperial Department of Agriculture in India can be  
had on application from the above-mentioned.

The publications are :—

*The Agricultural Journal of India.* A Journal dealing with subjects connected with agricultural  
economics, field and garden crops, economic plants and fruits, soils, manures, methods of  
cultivation, irrigation, climatic conditions, insect pests, fungus diseases, co-operative credit,  
farm implements, and other agricultural matters in India. Illustrations, including coloured  
plates, form a prominent feature of the Journal. It is edited by the Agricultural Adviser to the  
Government of India, and is issued once every two months or six times a year. *Annual subscrip-*  
*tion*, Rs. 6 or 9s. 6d. including postage. Single copy, Re. 1-8 or 2s.

*The Journal of the Central Bureau for Animal Husbandry and Dairying in India.* A quarterly dealing  
with cattle-breeding, dairying, cultivation and storage of fodder crops, animal nutrition, and other  
aspects of animal husbandry. It is edited by the Agricultural Adviser to the Government of  
India. *Annual subscription*, Rs. 2-8. Single copy, As. 10.

Scientific Reports of the Agricultural Research Institute, Pusa.  
Review of Agricultural Operations in India.

Proceedings of the Board of Agriculture in India.

Proceedings of Sectional Meetings of the Board of Agriculture.

Lectures of the Imperial Department of Agriculture in India.

- (a) Botanical Series.
- (b) Chemical Series.
- (c) Entomological Series.
- (d) Bacteriological Series.
- (e) Veterinary Series.

Pulletins issued by the Agricultural Research Institute, Pusa.  
Books.

The following are the publications of the last two years :—

Scientific Reports of the Agricultural Research Institute, Pusa (including the Reports of the Imperial  
Dairy Expert, the Physiological Chemist, Government Sugarcane Expert, and Secretary, Sugar  
Bureau), for the year 1926-27. Price, Re. 1-14 or 3s. 3d.

Scientific Reports of the Agricultural Research Institute, Pusa (including the Reports of the Imperial  
Dairy Expert, Physiological Chemist, Government Sugarcane Expert, and Secretary, Sugar  
Bureau), for the year 1927-28. Price, Rs. 2-6 or 4s. 3d.

Review of Agricultural Operations in India, 1925-26. Price, Rs. 2-6 or 4s. 3d.

Review of Agricultural Operations in India, 1926-27. Price, Rs. 2 or 3s. 6d.

Proceedings of the Board of Agriculture in India, held at Pusa on 7th December, 1925, and following  
days (with appendices). Price, Re. 1-14 or 3s. 3d.

## MEMOIRS OF THE DEPARTMENT OF AGRICULTURE IN INDIA

### Botanical Series

- Vol. XIV, No. IV. Studies in Gujarat Cottons, Part IV; Hybrids between Broach-deshi and Goghari varieties of *Gossypium herbaceum*, by M. L. PATEL, M.A.G., and S. J. PATEL, B.A.G. Price, As. 14 or 1s. 6d.
- Vol. XIV, No. V. The Indigenous Cotton Types of Burma, by T. D. STOECK, B.Sc., D.I.C., A.R.C.S. Price, As. 9 or 10d.
- Vol. XIV, No. VI. A Study of *Fusaria* common to cotton plants and cotton soils in the Central Provinces, by JIWAN SINGH, M.Sc. Price, As. 5 or 6d.
- Vol. XIV, No. VII. The Kolamba Rice of the North Konkan and its Improvement by Selecting, by R. K. BHIDE and S. G. BHALERAO, B.A.G. Price, Re. 1-4 or 2s.
- Vol. XIV, No. VIII. *Pennisetum typhoideum*: Studies on the Bajri crop. I. The Morphology of *Pennisetum typhoideum*, by S. V. GODBOLE, M.Sc., B.A.G. Price, As. 12 or 1s. 3d.
- Vol. XV, No. I. Studies in Khandesh Cotton, Part I, by S. H. PRAYAG, M.A.G. Price, Re. 14 or 2s. 3d.
- Vol. XV, No. II. The Indian Types of *Lathyrus sativus* L. (Khassri, Lakh, Lang, Tootal), by GABRIELLE L. C. HOWARD, M.A., and K. S. ABDUR RAHMAN KHAN. Price, Re. 1-8 or 2s. 6d.
- Vol. XV, No. III. Fruit-Rot Disease of Cultivated Cucurbitaceae caused by *Phythium aphanidermatum* (Eds.) Fitz., by M. MITRA, M.Sc., F.I.S., and L. S. SUBRAMANIAM, F.I.S. Price, As. 6 or 8d.
- Vol. XV, No. IV. Colour Inheritance in Rice, by S. K. MITRA, M.Sc., Ph.D., and S. N. GUPTA, M.Sc. P. M. GANOUKI. Price, As. 6 or 8d.
- Vol. XV, No. V. *Asterina* spp. from India determined by DR. RUTH RYAN and *Meliola* spp. from India and one from Malay determined by Prof. F. L. STEVENS. Price, As. 4 or 5d.
- Vol. XV, No. VI. Studies on Rice in Sind, Part I, by K. I. THADANI, M.Sc., and H. V. DUTTA, B.Sc. Price, Re. 1 or 1s. 6d.
- Vol. XV, No. VII. Variability in certain economic characters particularly in seed weight and weight of lint per seed in pure strains of Broach Deshi Cotton, by MAGASAI L. PATEL, M.A.G., and HUGH H. MANN, B.Sc. Price, As. 14 or 1s. 6d.
- Vol. XV, No. VIII. Studies in the Shedding of Mango Flowers and Fruits, Part I, by P. V. WAGH, M.A.G. Price, As. 11 or 1s. 3d.
- Vol. XVI, No. I. Studies in the *Jowars* of Gujarat: I. The *Jowars* of the Surat District, by M. L. PATEL, M.A.G., and G. H. PATEL, B.A.G. Price, Re. 1-6 or 2s. 3d.
- Vol. XVI, No. II. Studies in Indian Chillies, I: The Types of Capsicum, by F. J. F. SHAW, B.Sc., A.R.C.S., F.I.S., and KILN SAHIB ABDUR RAHMAN KHAN. Price, Re. 1-5 or 2s. 6d.
- Vol. XVI, No. III. Foot-rot and wilt of *Anthurium* caused by *Phytophthora palm. var. anturicola* n. v., by S. SENDARABAMAN, M.A., and T. S. RAMAKRISHNAN, M.A. Price, Re. 1 or 1s. 6d.
- Vol. XVI, No. IV. Further studies of Indian Grasses and Grass-lands, by W. BURNS, D.Sc. (Edin.), L. B. KULKARNI, M.A.G. (Bom.), and S. R. GODBOLE, B.Sc. (Bom.). Price, Re. 1-4 or 2s. 3d.
- Vol. XVI, No. V. Studies of Sugarcane roots at different stages of growth, by RAO BAHADUR L. VENKATRAMAN, B.A., and R. THOMAS. (In the press.)
- Vol. XVI, No. VI. Studies in Indian Pulses: I. Lentil (*Ervum lens* Linn.), by F. J. F. SHAW, B.Sc., A.R.C.S., F.I.S., and RAHMAT DAS BOSE, B.Sc. Price, Re. 1-10 or 2s. 6d.
- Vol. XVI, No. VII. *Phythium aphanidermatum* (Eds.) Fitz. on *Opsantia littoralis*, Haw., by T. S. RAMAKRISHNA AYYAR, M.A. Price, As. 8 or 10d.
- Vol. XVII, No. I. Non-dehiscence of anthers in Punjab American Cottons by TREVOR THORNTON, M.A. Price, As. 4 or 5d.
- Vol. XVII, No. II. Studies in the Wilt Disease of Cotton in the Bombay Karnatak, Series I, by G. S. KULKARNI, M.A.G., and B. B. MUNDRUR, M.A.; with an introduction by Dr. H. H. MANN. Price, As. 9 or 1s.

### Chemical Series

- Vol. IX, No. III. Some Digestibility Trials on Indian Feeding Stuffs, Part II, by P. E. LAMBER, M.A., D.Sc., A.L.C., and PANDIT LAL CHAND DHARMANI, L.A.G., B.Sc. (Ag.) Price, As. 10 or 1s.
- Vol. IX, No. IV. The Effect of Manuring a Crop on the Vegetative and Reproductive Capacity of the Seed, by B. VISWANATH, F.I.C., and M. SUBBANARAYANA, B.Sc. Price, As. 14 or 1s. 6d.
- Vol. IX, No. V. Experiments on the Feeding of Sorghum silage and concentrate to Scindhi calves, by F. J. WARTH, M.Sc., and SHARI KANT MISRA. Price, As. 9 or 10d.

### Chemical Series—*contd.*

- Vol. IX, No. VI. Losses and gains of Nitrogen in an Indian Soil studied in relation to the seasonal composition of well waters, and the bearings of the results on the alleged deterioration of soil fertility, by HAROLD E. ANNETT, D.Sc., F.R.C., M.S., E.A.G., A. PADMANABHA AYYAR, B.A., and RAM NARAYAN KATASTH, M.Sc., B.A.G. Price, Rs. 2 or 3s. 6d.
- Vol. IX, No. VII. Some Digestibility Trials on Indian Feeding Stuffs, Part III: Some Punjab Hays, by P. E. LANDER, M.A., D.Sc., A.L.C., and PANDIT LAL CHAND DHARMANI, L.A.G., D.Sc. (A.G.). Price, Rs. 5 or 6d.
- Vol. IX, No. VIII. The determination of the Electrical Conductivity of the aqueous extract of Soil as a rapid means of detecting its probable Fertility, by ASHUTOSH SEN, M.Sc. Price, Rs. 4 or 6d.
- Vol. X, No. I. Feeding Experiments at Karnal, by F. J. WARTH, M.Sc., and F. J. GOSSIP. Price, Rs. 8 or 10d.
- Vol. X, No. II. Soils of the Punjab, by DR. P. E. LANDER, M.A., D.Sc., A.L.C., DR. RAMJI NARAIN, D.Sc., and MEHTA MOKAND LAL, B.Sc., L.A.G. (*In the press.*)

### Entomological Series

- Vol. X, Nos. I. Four New Indian Gall Midges, by DR. E. P. FELT, The Citrus Psylla (*Diaphorina citri*, Kuw.), by M. AFZAL HUSAIN, M.Sc., M.A. Price, Rs. 1.2 or 2s.
- Vol. X, No. III. Braconidae Viplioninae of South India, by T. V. RAMAKRISHNA AYYAR, B.A., F.E.S., F.Z.S. Price, Rs. 14 or 1s. 3d.
- Vol. X, No. IV. Some New Indian Miridae (*Capsidae*), by E. BALLARD, B.A., F.E.S. Price, Rs. 6 or 8d.
- Vol. X, No. V. The Use of Hydrocyanic Acid Gas for the Fumigation of American Cotton on import into India. Experiments on its lethal power for the Mexican Boll-weevil (*Anthonomus grandis*) and for the Grain-weevil (*Sitophilus oryzae*); on the extent to which it is absorbed by Cotton and Jute respectively; and on a practical method for satisfactory fumigation on a large scale, by A. JAMES TURNER, M.A., B.Sc., and D. L. SEN, M.Sc. TECH., M.Sc., with a Foreword by B. C. BERT, M.B.E., B.Sc. Price, Rs. 2 or 3s. 9d.
- Vol. X, No. VI. Studies on *Platyedra gossypiella*, Saunders (Pink Bollworm) in the Punjab, by SOHAN SINGH BINDRA, M.Sc. Price, Rs. 1.4 or 2s. 3d.
- Vol. X, No. VII. A contribution to our knowledge of the Thysanoptera of India, by T. V. RAMAKRISHNA AYYAR, Ph.D., F.E.S., F.Z.S. Price, Rs. 1.3 or 2s. 6d.
- Vol. XI, No. I. A List of the Generic Names used for Microlepidoptera, by T. RAINBRIDGE FLETCHER, B.N., F.L.S., F.E.S., F.Z.S. (*In the press.*)

### Bacteriological Series

- Vol. II, No. II. A Bacterial Soft Rot of Garden Poppy, by C. S. RAM AYYAR, B.A. Price, Rs. 5 or 6d.
- Vol. II, No. III. Nitrification of Calcium Cyanamide in some Indian Soils, by J. H. WALTON, M.A., M.Sc. Price, Rs. 10 or 1s.

### Veterinary Series

- Vol. IV, No. I. The Chemotherapy of Surra (*Trypanosoma Evansi* Infections) of Horses and Cattle in India, by J. T. EDWARDS, D.Sc., M.R.C.V.S. Price, Rs. 4.2 or 7s.
- Vol. IV, No. II. Studies in Bovine Lymphangitis, by V. KRISHNAMURTI AYYAR. Price, Rs. 1.2 or 2s.
- Vol. IV, No. III. Trypanblue and certain dithio-aniline derivatives: their efficacy in the treatment of Piropasmosis and other affections in the Central Provinces, by Major R. F. STIRLING, F.R.C.V.S., D.V.S.M., F.Z.S., I.V.S. Price, Rs. 3 or 4d.
- Vol. IV, No. IV. Nasal Granuloma in Cattle in Bihar and Orissa, by RAI SAHIB P. N. DAS. Price, Rs. 3 or 4d.

### Bulletins issued by the Agricultural Research Institute, Pusa.

- No. 166. Sampling for Rice Yield in Bihar and Orissa, by J. A. HUBBACK, L.C.S. Price, Rs. 7 or 9d.
- No. 167. A Scheme of Classification of the Varieties of Rice Found in Burma, by R. A. BRALE. Price, Rs. 6 or 8d.
- No. 168. List of Publications on Indian Entomology, 1926 (compiled by the Offg. Imperial Entomologist and the Imperial Entomologist). Price, Rs. 10 or 1s.
- No. 169. The Stem-bleeding Disease of Arecanut (*Areca catechu*) caused by *Thielaviopsis paradoxa* Von Hon., by S. SUNDARAMAN, M.A., C. KRISHNAN NAYAR and T. S. RAMAKRISHNAN, M.A. Price, Rs. 9 or 1s.
- No. 170. Seasonal Variations in the Germ Content of Milk at Pusa, by J. H. WALTON, M.A., M.Sc. Price, Rs. 6 or 8d.

### Bulletins issued by the Agricultural Research Institute, Pusa—*contd.*

- No. 171. The Improvement of Indian Wheat. A Brief Summary of the Investigations carried on at Pusa from 1905 to 1924, including an account of the new Pusa Hybrids, by ALBERT HOWARD, C.I.E., M.A., and GABRIELLE L. C. HOWARD, M.A. Price, As. 8 or 10d.
- No. 172. The Mechanical Analysis of Tropical Soils, by J. CHARLTON, M.Sc., F.I.C. Price, As. 3 or 4d.
- No. 173. Occurrence of Trichomonad Flagellates in the blood stream of Fowls, by HUGH COOPER, M.R.C.V.S., and AMAR NATH GULATI, M.Sc. Price, As. 3 or 4d.
- No. 174. Unit System for Farm Buildings, by G. S. HENDERSON, N.D.A., N.D.D. Price, As. 5 or 6d.
- No. 175. A Comparative Study of the methods of preparation of the Soil for the Mechanical Analysis, with a Note on the Pipette Method, by AMAR NATH PURI, Ph.D., and R. M. AMIN, B.A. Price, As. 4 or 5d.
- No. 176. A Method of increasing the Manurial Value of Mahua Cake, by N. D. VYAS, L.A.G. Price, As. 4 or 6d.
- No. 177. Root-rot and Sclerotial Diseases of Wheat, by L. S. SUBRAMANIAM, F.L.S. Price, As. 4 or 5d.
- No. 178. A Study of the Locular Composition in Cambodia Cotton, by V. RAMANATHAN, L.A.G. Price, As. 7 or 9d.
- No. 179. A Leaf Spot and Blight Disease of Onions, caused by *Alternaria palandui* nov. sp., by C. RANGASWAMI AYYANGAR. Price, As. 6 or 8d.
- No. 180. Stem-rot of Berseem, caused by *Rhizoctonia Solani* Kühn, by MD. TASLIM. Price, As. 1 or 9d.
- No. 181. Life History, Economics and Control of *Mylocerus maculatus*, Desb. (Curculionidae: Coleoptera), by KIDAR NATH TRIHAN, M.Sc. (*In the press.*)
- No. 182. Investigations in the Bacteriology of Silage (1926-27), by J. H. WALTON, M.A., M.Sc. Price, As. 5 or 10d.
- No. 183. A Milk Fermenting Yeast, by C. S. RAM AYYAR, B.A. Price, As. 5 or 6d.
- No. 184. List of Publications on Indian Entomology, 1927 (compiled by the Imperial Entomologist), Price, As. 6 or 9d.
- No. 185. The Cultivation of Lac in the plains of India, *Laccifera lacca*, Kerr., by C. S. MISRA, B.A. (Revised Edition.) (*In the press.*)
- No. 186. A Preliminary Note on the Rice crop in the United Provinces, by R. L. SETHL. Price As. 1 or 9d.
- No. 187. The Production of Cigarette Tobacco by Flue-Curing, by F. J. F. SHAW, B.Sc., A.R.S., F.L.S., and KASHI RAM. (Price Re. 1 or 1s. 9d.)
- No. 188. Designs for Farm Buildings, by G. S. HENDERSON, N.D.A., N.D.D. (Price As. 6 or 8d.)
- No. 189. The Improvement of Dharwar-American Cotton by Hybridization, by R. K. KULEARNI, B.A.G., and T. R. KHADILKAR, B.A.G. (*In the press.*)
- No. 190. Description of a New species, *Dipylidium catus* n. sp., with a Note on the Genus *Dipylidium* Leuckart, 1863, by AMAR NATH GULATI, M.Sc. (*In the press.*)
- No. 191. Agricultural Implements and Machinery at Pusa, Part I: Cultivation Implements and Machinery, by G. S. HENDERSON, N.D.A., N.D.D. and ARJUN SINGH, L.A.G. (*In the press.*)
- No. 192. Agricultural Implements and Machinery at Pusa, Part II: Harvesting and Threshing Implements and Machinery, by G. S. HENDERSON, N.D.A., N.D.D., and ARJUN SINGH, L.A.G. (*In the press.*)
- No. 193. Agricultural Implements and Machinery at Pusa, Part III: Special and Miscellaneous Implements and Machinery, by G. S. HENDERSON, N.D.A., N.D.D., and ARJUN SINGH, L.A.G. (*In the press.*)
- No. 194. Agricultural Implements and Machinery at Pusa, Part IV: Power Implements and Machinery, by G. S. HENDERSON, N.D.A., N.D.D., and ARJUN SINGH, L.A.G. (*In the press.*)

### Books

- Wheat in India, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S., and GABRIELLE L. C. HOWARD, M.A. Price, Rs. 5 or 7s. 6d.
- A Description of the Imperial Bacteriological Laboratory, Muktesar; Its Work and Products, by MAJOR J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, As. 8 or 9d. Hindi and Urdu Editions, Rs. 2-4 each.
- Agriculture in India, by JAMES MACKENNA, M.A., I.C.S. Price, As. 4 or 5d.
- Some Diseases of Cattle in India. A Handbook for Stock-owners. (Revised in 1927.) Price, Re. 14 or 2s.
- Report on the Diseases of Silkworms in India, by A. PRINGLE JAMESON, D.Sc. Price, Rs. 3.
- The Importance of Bacterial Action in Indigo Manufacture, by C. M. HUTCHINSON, B.A. Price, As. 1

### Notice

All new publications are included in the above list and are regularly posted to all on the mailing list as soon as issued. Unless complaints of non-receipt of any publication are received by the Manager, Government of India Central Publication Branch, Imperial Secretariat Building, 3, Government Place, West, Calcutta, within six months of the date of issue, duplicate copies can be supplied only on payment of cost and postage.

